MATHEMATICAL JOURNAL OF OKAYAMA UNIVERSITY

VOL. 58 2016

PUBLISHED BY

DEPARTMENT OF MATHEMATICS FACULTY OF SCIENCE OKAYAMA UNIVERSITY OKAYAMA, JAPAN

MATHEMATICAL JOURNAL OF OKAYAMA UNIVERSITY

FOUNDED BY M. MORIYA, T. INAGAKI, M. OSIMA, T. OTSUKI

EDITED BY

Mitsuyasu HASHIMOTO Hiroshi KAWABI Kazuhisa SHIMAKAWA Hiro-Fumi YAMADA Tomoyuki KAKEHI* Kazuyoshi KIYOHARA Masaharu TANIGUCHI Yuji YOSHINO

(*: Managing Editor)

Each volume consists of two numbers, and each number which contains about 100 pages will appear semi-annually.

According to circumstances, there are some cases where one volume containing about 200 pages appears annually.

All communications relating to this publication should be addressed to

Mathematical Journal of Okayama University

Department of Mathematics

Faculty of Science

Okayama University

Okayama 700-8530, Japan

E-mail: mjou@okayama-u.ac.jp, journal@math.okayama-u.ac.jp

Information for authors is to be found on the inside back cover.

Visit our web site

http://www.math.okayama-u.ac.jp/mjou/

Copyright©2016 by the Editorial Board of Mathematical Journal of Okayama University

Information for authors

Submission of Manuscripts

- (1) Articles on pure and applied mathematics intended for publication in *Mathematical Journal of Okayama University* should be written in English.
- (2) Only original papers not yet published and not simultaneously submitted for publication elsewhere will be accepted.
- (3) Electronically prepared manuscripts in printable files (dvi or pdf) can be sent via e-mail to:

mjou@okayama-u.ac.jp, journal@math.okayama-u.ac.jp

- (4) Electronic submission in LaTeX style is preferred. If you are unable to submit your manuscript electronically, you should send two hard copies to the Editorial Office of Mathematical Journal of Okayama University, Department of Mathematics, Okayama University, Okayama 700-8530, Japan.
- (5) After acceptance for publication, authors will be requested to send a LaTeX file coded with the style file "jokayama.cls" which (together with all necessary additional information on how to use the style sheet) is available at our homepage:

http://www.math.okayama-u.ac.jp/mjou/.

Proofs

Authors will receive page proofs, preferably by e-mail in PDF format. Corrections should be confined to typographical errors. Authors will be charged for excessive corrections. Please correct your galley proofs and return them within 14 days together with the signed copyright agreement.

Reprints

The corresponding author will receive 50 hardcopy reprints free of charge, this number to be shared between joint authors.

Edit and Publishing:

Department of Mathematics, Faculty of Science, Okayama University Okayama, JAPAN

Design and Printing Office:

... Co. Ltd.

CONTENTS

	Page
HIRANO, Y. On finite rings over which all free codes are splitting	133
ICHIMURA, H. On a duality of Gras between totally positive and primary cyclotomic units	125
Komatsu, T. Restriction on Galois groups by prime inert condition	159
Nagata, M. Alternative approach for Siegel's lemma	141
Tamura, H. Asymptotic properties in forward directions of resolvent kernels of magnetic Schrödinger operators in two dimensions	1
Tamura, H. Aharonov–Bohm effect in resonances of magnetic Schrödinger operators in two dimensions II	41
Tamura, H. Aharonov–Bohm effect in resonances of magnetic Schrödinger operators in two dimensions III	79
Trimèche, K. The positivity of the transmutation operators associated to the Cherednik operators for the root system BC_2	183
Yamanaka, S. On weakly separable polynomials and weakly quasi-separable polynomials over rings	169
ŌSHIMA, H. AND ŌSHIMA, K. Another description of quasi tertiary composition	109

JANUARY 2016

Vol. 58

CONTENTS

	Page
Tamura, H. Asymptotic properties in forward directions of resolvent kernels of magnetic Schrödinger operators in two dimensions	1
Tamura, H. Aharonov-Bohm effect in resonances of magnetic Schrödinger operators in two dimensions II	41
Tamura, H. Aharonov-Bohm effect in resonances of magnetic Schrödinger operators in two dimensions III	79
ŌSHIMA, H. AND ŌSHIMA, K. Another description of quasi tertiary composition	109
ICHIMURA, H. On a duality of Gras between totally positive and primary cyclotomic units	125
HIRANO, Y. On finite rings over which all free codes are splitting	133
Nagata, M. Alternative approach for Siegel's lemma	141
Komatsu, T. Restriction on Galois groups by prime inert condition	159
Yamanaka, S. On weakly separable polynomials and weakly quasi-separable polynomials over rings	169
Trimèche, K. The positivity of the transmutation operators associated to the Cherednik operators for the root system $BC_2 ext{}$	183

ASYMPTOTIC PROPERTIES IN FORWARD DIRECTIONS OF RESOLVENT KERNELS OF MAGNETIC SCHRÖDINGER OPERATORS IN TWO DIMENSIONS

HIDEO TAMURA

AHARONOV-BOHM EFFECT IN RESONANCES OF MAGNETIC SCHRÖDINGER OPERATORS IN TWO DIMENSIONS II

HIDEO TAMURA

AHARONOV-BOHM EFFECT IN RESONANCES OF MAGNETIC SCHRÖDINGER OPERATORS IN TWO DIMENSIONS III

HIDEO TAMURA

ANOTHER DESCRIPTION OF QUASI TERTIARY COMPOSITION

HIDEAKI ŌSHIMA AND KATSUMI ŌSHIMA

ON A DUALITY OF GRAS BETWEEN TOTALLY POSITIVE AND PRIMARY CYCLOTOMIC UNITS

Humio ICHIMURA

ON FINITE RINGS OVER WHICH ALL FREE CODES ARE SPLITTING

YASUYUKI HIRANO

ALTERNATIVE APPROACH FOR SIEGEL'S LEMMA

Макото NAGATA

RESTRICTION ON GALOIS GROUPS BY PRIME INERT CONDITION

TORU KOMATSU

ON WEAKLY SEPARABLE POLYNOMIALS AND WEAKLY QUASI-SEPARABLE POLYNOMIALS OVER RINGS

SATOSHI YAMANAKA

THE POSITIVITY OF THE TRANSMUTATION OPERATORS ASSOCIATED TO THE CHEREDNIK OPERATORS FOR THE ROOT SYSTEM BC_2

KHALIFA TRIMÈCHE